

## Special Tools for SCBA Maintenance and Repair Int-E



### **D0140894**

Assembly socket G 5/8" for pressure reducer and valve maintenance



### **D0140452**

Socket wrench (for medium pressure adjustment 500E)



### **10070168**

Socket wrench 3mm (for Housing Cover DM04)



### **New P/N 10029347** (old P/N D0140899)

Socket wrench (for warning signal adjustment)



### **D0011673**

Molykote 33 medium grease, contents: 100 g lubrication



### **10016017**

Loctite 222, screw-locking adhesive, low tight (for warning signal), contents: 50 ml

LA96

🕒 **same as Loctite 932**



### **D0011250**

Loctite 243, screw-locking adhesive, medium tight

Contents: 50 ml



**D0005949**  
Screw-sealing lacquer, black



**D0010100**  
Hook spanner B 40 - 42, DIN 1810  
LA 96 Table



**10028742**  
Base plate to clamp pressure reducer 500 E into vise



**D0002784**  
Wrench SW 30 mm, DIN 894



**D0140473**  
Upper and lower tolerance gauge (Low+High)  
LA 96 Lever



**10013879**  
Spring balance with drag pointer and flat feeler, measuring  
range: 1 - 10 cN  
LA 96 Lever



**D4080877**  
Assembly tool for valve seat LA 96



**D6063855**  
Pump ball



**D0013799**

Hexagonal spanner SW 3.2 mm (for adjusting the pre-tension of demand valves LA96)



**D0002790**

Wrench SW 14 x 17 mm



**D0140260**

Hexagonal spanner SW 13 x 14 mm



**D0012449**

Hex-socket screw driver SW 2 mm



**10071425**

Hex-socket screw driver SW 4 mm



**D4075923**

BARRIERTA-O-Fluid, 5 ml  
LA 96



**10032084**

Grease KLÜBERALFA YVI 93, 5 g



**D2055765**

AUER Disinfectant 90

🕒 *for the disinfection of LGDV, Masks and CPS after use*



**D0010239**

Parker-O-Lube

⌚ only for lubricating the snap connector in 3 S-PS and Ultra Elite-PS!



**D4080871**

Tightness cap for medium pressure hose  
(Package of 10)



**10071424**

Hexagonal key SW 7 mm



**10035756**

Adapter tool for screwing and unscrewing of all MSA AUER snap connectors in face pieces, with  $\frac{3}{8}$ "-square hole for torque impulse



**10075231**

Special wrench for assembling the *alphaCLICK* coupling system, with  $\frac{3}{8}$ "-square hole for torque impulse



**D2055038**

Special key for replacing speech diaphragms for masks



**D0008410**

Hex-socket screw driver SW



**D5175866**

Control pressure gauge, class 0.6 for check of medium pressure up to 16 bar



**D5175867**

Control pressure gauge, class 0.6 for check of pressure gauge up to 400 bar



**D4080929**

Test pressure gauge for cylinder pressure, class 1.6



O-Ring tool kit



Water pump wrench with plastic jaws



**10070156**

Test Stickers



**10048100**

Seal (Test Badge MSA) DM04



**10104613**

Tool for holding nut warning whistle SL



**10028742**

Base plate to clamp pressure reducer 500 E into vise

**10095219**

Microfine powder 10g

## Special Tools for SCBA Maintenance and Repair “Local design”

Adapters designed and orderable at MSA Netherlands



**29P201**  
MaXX adapter UE en 3 SPS  
8 Nm / 10 Nm



**29P202**  
Tool for warning whistle Single Line  
20Nm



**29P203**  
DM04 reducer tool, Torque  
10Nm



**29P204**  
Alpha Click Adapter Round model  
Torque 20Nm



**29P205**  
Cylinder click adapter 3/8” connection  
20 Nm

For more information please contact  
Bart Kraaijvanger/Netherlands/MSAEurope@MSA